

M00263.AR.001014  
MCRD PARRIS ISLAND  
5090.3a

LETTER AND CONCURRENCE FROM SOUTH CAROLINA DEPARTMENT OF HEALTH AND  
ENVIRONMENTAL CONTROL REGARDING CONDITIONS OF APPROVAL FOR SITE  
INVESTIGATION REPORT MUNITIONS RESPONSE PROGRAM (MRP) AND UNEXPLODED  
ORDNANCES (UXOS) 1 THROUGH 8 MCRD PARRIS ISLAND SC

3/16/2012

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

BOARD:  
Paul C. Aughtry, III  
Chairman  
Edwin H. Cooper, III  
Vice Chairman  
Steven G. Kisner  
Secretary



C. Earl Hunter, Commissioner

*Promoting and protecting the health of the public and the environment*

BOARD:  
Henry C. Scott  
M. David Mitchell, MD  
Glenn A. McCall  
Coleman F. Buckhouse, MD

March 16, 2012

Commanding Officer  
NAVFAC Southeast  
ATTN: Mr. Charles Cook, P.E.  
PO Box 30  
Ajax Street North, Bldg 135  
Jacksonville, Florida 32212

and

Commanding General  
NREAO  
ATTN: Ms. Lisa Donohoe  
PO Box 5028  
Parris Island, SC 29905


RE: Conditions of Approval Met for SI Report for MRP Sites UXOs 1-8 D2  
Marine Corp Recruit Depot (MCRD)  
Parris Island  
SC6 170 022 762

Dear Mr. Cook and Ms. Donohoe:

The Division of Waste Management of the South Carolina Department of Health and Environmental Control (Department) received the Changes Pages for the SI Report for MRP Sites UXOs 1-8 D2 on February 21, 2012. The Department reviewed the document with respect to applicable sections of the South Carolina Hazardous Waste Management Regulations (SCHWMR). Based on the review of the change pages as well as the Expanded SI WP, RI SAP D2 and discussions in partnering team meetings the conditions of the approval dated August 3, 2011 (Amick to Cook) have been met. Although the conditions from the conditional approval were not responded to in RTCs in the RI SAP as requested in the August 3, 2011 letter, the conditions have been met and the Department does not expect to see any more iterations of the SI Report.

The Department's review is based on the information presented by MCRD to date; any information found to be contradictory may require further action. If you have any questions regarding this issue, please contact me at (803) 896-4218.

Sincerely,

A handwritten signature in black ink, appearing to read 'Meredith Amick', with a long horizontal line extending from the end of the signature.

Meredith Amick, P.E., Environmental Engineer  
Corrective Action Engineering Section  
Division of Waste Management

cc:

Lila Llamas, EPA Region 4  
Annie Gerry, Hydrogeology  
Priscilla Wendt, SCDNR

Russell Berry, EQC Region 8, Beaufort  
Peggy Churchill, TtNUS